



Best Available Copy

PATENT
452010-2380

COP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. : 6,745,621 B1

Date of Patent : June 8, 2004

Serial No. : 10/089,747

Applicant : Bartolomomeus Johannes Le Roux CILLIERS et al.

Title : MEASURING TWIST DUE TO TORQUE IN A
ROTATING SHAFT


Certificate
JUL 08 2004
of Correction

745 Fifth Avenue
New York, NY 10151

I hereby certify that this correspondence is being deposited with
the United States Postal Service as first class mail in an envelope
addressed to: Mail Stop Certificate of Correction Branch
Commissioner for Patents, P.O. Box 1450, Alexandria, VA
22313-1450, on July 1, 2004.

William S. Frommer, Reg. No. 25,506

Name of Applicant, Assignee or Registered Representative


Signature

July 1, 2004

Date of Signature

**REQUEST FOR CERTIFICATE
OF CORRECTION UNDER 37 C.F.R. 1.322**

Mail Stop **CERTIFICATE OF CORRECTION BRANCH**
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

It is requested that a Certificate of Correction be issued in the above-entitled patent in
accordance with the accompanying form PTO 1050.

11/03/2004 VTOLBERT 00000001 500320 10089747
Sale Ref: 00000001 DAH: 500320 10089747
01 FC:1811 100.00 DA

JUL 09 2004

00201662

IN THE TITLE:

[54] change "RATATING" to --ROTATING--.

IN THE CLAIMS:

Col. 9, line 28 (Claim 4) change "resect" to --respect--;

Col. 9, line 60 (Claim 8) after "ameliorating" insert --the--;

Col. 10, line 28 (Claim 10) change "on" to --one--.


Since these errors to be corrected, did not originate from this office, we believe that no fee is required for this correction. A completed Form PTO 1050 is enclosed.

It is clear that the requested changes do not constitute new matter and this application does not require re-examination.

If there are any additional fees incurred by reason of the above-mentioned correction, please charge such additional fees to Deposit Account No. 50-0320.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP
Attorney for Applicants

By: 
William S. Frommer
Reg. No. 25,506
(212) 588-0800

Enc. - Certificate of Correction